NEOMITIS

Creator of innovative solution for thermal comfort and energy savings

Smart and connected radiators

Exclusive style, gentle warmth, combinated with the connected efficiency, alliance between comfort and savings

Efluid

3 in 1
Triple connectivity
Wi-Fi • Zigbee • Bluetooth®

- Also available in anthracite grey, this trendy and contemporary finish will match perfectly in a pure design living room.
- Interoperable by construction and connectivity guaranteed in all situations (only for the Efluid).
  - Zigbee® 3.0 to join a home automation box and guarantee a level of connectivity with other products equipped with the same protocol.
  - Wi-Fi® to connect directly to the MYNEOMITIS universe.
  - Bluetooth® for the configuration of the radiator without being connected to an Internet router, it facilitates and secures the pairing of the radiator with the cloud it will join.
- Directly connectable to the Internet through your Internet router without any other accessory.
- Can be remotely-controlled by your smartphone, tablet or computer and by voice with the MYNEOMITIS free application.

Download on the App Store

DISPONIBLE SUR Google Play

myneo *Fluid Curved*

- Also available in white, this trendy and contemporary finish will match perfectly in a pure design living room.
- Extra-flat occupancy detector, dual occupancy detection.
- Auto programmable with dual optimisation feature.
- EcoSens innovation pack, comfort, performance and energy savings.
- Full colour touch screen with customisable display, easy to read (only for the Myneo Fluid Curved).
- Large (2.09”) backlit display with black background to improve readability (only for the Efluid).

Download on the App Store

DISPONIBLE SUR Google Play

Designed in France

3 years warranty

10 years warranty Aluminium alloy heater body

Maintenance free

Comfort surface temperature

PID technology

Low energy consumption

Cost efficiency

Energy efficiency

Can be remotely-controlled

2 patented wall-mounting brackets

Help for the visually impaired

Child anti-tamper

Features

	Efluid	Myneo Fluid Curved
Controller	Digital	Digital
Heater	Mineral oil	Mineral oil
Patented wall-mounting brackets	✓	✓
Drilling template	✓	✓
Connected	✓	✓
Wi-Fi® protocol	✓	✓
Bluetooth® protocol	✓	✗
Zigbee® protocol	✓	✗
Interoperable	✓	✗
Remotely controllable	✓	✓
Gauge and power consumption indication	✓	✓
Open window and occupancy detection	✓	✓
Automatic programming	✓	✓
Dual optimisation feature	✓	✓
7 day and daily programme	✓	✓
Dual child anti-tamper	✓	✓
PID technology	✓	✓

Efluid

References		Powers (W)	Heights (mm)	Widths (mm)	Depths (mm)	Elements numbers
White version	Anthracite grey version					
PS050S6A	**PS050S6ANA**	500	580	441	80	4
PS075S6A	**PS075S6ANA**	750	580	522	80	5
PS100S6A	**PS100S6ANA**	1000	580	603	80	6
PS125S6A	**PS125S6ANA**	1250	580	764	80	8
PS150S6A	**PS150S6ANA**	1500	580	845	80	9
PS200S6A	**PS200S6ANA**	2000	580	1088	80	12

Myneo Fluid Curved

References		Powers (W)	Heights (mm)	Widths (mm)	Depths (mm)	Elements number
White version	Anthracite grey version					
PC0754A	**PC0754ANA**	750	580	589	80/96	6
PC1004A	**PC1004ANA**	1000	580	670	80/96	7
PC1254A	**PC1254ANA**	1250	580	832	80/96	9
PC1504A	**PC1504ANA**	1500	580	913	80/96	10
PC2004A	**PC2004ANA**	2000	580	1155	80/96	13

NEOMITIS

NEOMITIS® LIMITED – 16 Great Queen Street, Covent Garden, London, WC2B 5AH UNITED KINGDOM
Registered in England and Wales No: 9543404
Tel: +44 (0) 2071 579 967- Fax: +44 (0) 2071 250 267- E-mail: contactuk@neomitis.com

www.neomitis.com

Pictures and technical specifications are not contractual and given as an indication. Specifications may change depending on product development.
Néomitis® keeps the right to change without notice.
All rights reserved - Photo credits: © Adobe Stock © Shutterstock

LEAFLET NEO ENG PM V02 13 10 2026